

- Products**
- :: Brass BW 2 Parts Cable Glands
  - :: Brass BW3 Parts Cable Glands
  - :: Brass CW Cable Glands
  - :: Brass CX Type Cable Glands
  - :: Brass A2 Type Cable Glands
  - :: Brass E1W Cable Glands
  - :: Brass CXT Cable Glands
  - :: Brass Marine Cable Glands
  - :: Brass Metric Strain Relief Cable Glands
  - :: Brass Wiping Cable glands
  - :: Brass PG Cable Glands
  - :: Brass Cable Glands Accessories

## Brass Cable Gland Selection Chart


**XLPE / PVC / SWA - BS 4567**

**CABLE GLAND**

Conductor Size (mm <sup>2</sup> )	No. of Cores	Approx Overall Diameter (mm)	CABLE GLAND						
			BW		CW	PCW	E1W	E1FW	
1.5	2	12.3	<b>20S</b>	<b>20S</b>	<b>20/16</b>	<b>20S</b>	<b>20/16</b>	<b>20/16</b>	
	3	12.8							
	4	14.0			<b>20S</b>	<b>20S</b>	<b>20S</b>	<b>20S</b>	<b>20S</b>
	5	14.2							
	6	15.2							
	7	15.6							
2.5	2	13.6	<b>20S</b>	<b>20S</b>	<b>20S</b>	<b>20S</b>	<b>20S</b>	<b>20S</b>	
	3	13.6							
	4	14.7							
	5	16.3	<b>20</b>	<b>20</b>	<b>20</b>	<b>20</b>	<b>20</b>	<b>20</b>	
	6	17.1							
	7	17.6							
4	2	14.7	<b>20</b>	<b>20</b>	<b>20S</b>	<b>20S</b>	<b>20S</b>	<b>20S</b>	
	3	15.3							
	4	16.4							
6	2	15.9	<b>20</b>	<b>20</b>	<b>20</b>	<b>20</b>	<b>20</b>	<b>20S</b>	
	3	16.6							
	4	18.7							
	2	18.0	<b>20</b>	<b>20</b>	<b>20</b>	<b>20</b>	<b>20</b>	<b>20</b>	

- Products**
- :: Brass Flexible Conduit Fittings Cable Glands
  - :: Brass Lock Nuts
  - :: Brass Stop Plugs Blind Plugs
  - :: Brass Thread Reducers Enlargers Converters
  - :: Copper Cable Lugs and Terminals
  - :: Conduit Fittings Accessories
  - :: Rubber Grommets For Conduit Boxes
  - :: Brass Cable Gland Selection Chart
  - :: Brass Neutral Links Neutral Bars
  - :: Brass Terminal Blocks
  - :: Brass Terminals Terminal Bars

10	3	18.9	<b>20</b>	<b>20</b>	<b>20</b>	<b>20</b>	<b>20</b>	<b>20</b>
	4	20.3	<b>25</b>				<b>25</b>	
16	2	20.0	<b>25</b>	<b>25</b>	<b>25</b>	<b>25</b>	<b>20</b>	<b>20</b>
	3	21.2					<b>25</b>	<b>25</b>
	4	22.9	<b>25</b>	<b>25</b>	<b>25</b>	<b>25</b>	<b>25</b>	<b>25</b>
25	2	24.1	<b>25</b>	<b>25</b>	<b>25</b>	<b>25</b>	<b>25</b>	<b>25</b>
	3	26.7		<b>25</b>	<b>32</b>	<b>32</b>	<b>25</b>	<b>25</b>
	4	28.9	<b>32</b>	<b>32</b>			<b>32</b>	<b>32</b>

Conductor Size (mm <sup>2</sup> )	No. of Cores	Approx Overall Diameter (mm)						
			BW		CW	PCW	E1W	E1FW
35	2	27.9						
	3	29.9	<b>32</b>	<b>32</b>	<b>32</b>	<b>32</b>	<b>32</b>	<b>32</b>
	4	32.1						
50	2	25.8	<b>25</b>	<b>25</b>	<b>25</b>	<b>25</b>	<b>25</b>	<b>25</b>
	3	28.5	<b>32</b>	<b>32</b>	<b>32</b>	<b>32</b>	<b>32</b>	<b>32</b>
	4	32.0						
70	2	29.0	<b>32</b>	<b>32</b>	<b>32</b>	<b>32</b>	<b>32</b>	<b>32</b>
	3	32.2	<b>40</b>	<b>40</b>	<b>40</b>	<b>40</b>	<b>40</b>	<b>40</b>
	4	37.7						
95	2	33.1	<b>32</b>	<b>32</b>	<b>32</b>	<b>32</b>	<b>32</b>	<b>32</b>
	3	37.0	<b>40</b>	<b>40</b>	<b>40</b>	<b>40</b>	<b>40</b>	<b>40</b>
	4	41.7	<b>50S</b>	<b>N/A</b>	<b>50S</b>	<b>N/A</b>	<b>50S</b>	<b>40</b>
120	2	36.1	<b>40</b>	<b>40</b>	<b>40</b>	<b>40</b>	<b>40</b>	<b>40</b>
	3	40.4		<b>N/A</b>		<b>N/A</b>		

	4	47.1	<b>50</b>	<b>50</b>	<b>50</b>	<b>50</b>	<b>50</b>	<b>50</b>
150	2	39.3	<b>40</b>	<b>40</b>	<b>40</b>	<b>40</b>	<b>40</b>	<b>40</b>
	3	45.5	<b>50</b>	<b>50</b>	<b>50</b>	<b>50</b>	<b>50S</b>	<b>50</b>
	4	51.4					<b>50</b>	
185	2	44.7	<b>50S</b>	<b>50</b>	<b>50S</b>	<b>50</b>	<b>50S</b>	<b>50</b>
	3	49.8	<b>50</b>	<b>50</b>	<b>50</b>	<b>50</b>	<b>50</b>	<b>50</b>
	4	56.6	<b>63S</b>	<b>63</b>	<b>63S</b>	<b>50</b>	<b>63S</b>	<b>63</b>
240	2	49.0	<b>50</b>	<b>50</b>	<b>50</b>	<b>50</b>	<b>50</b>	<b>50</b>
	3	55.1	<b>63S</b>	<b>63</b>	<b>63S</b>	<b>N/A</b>	<b>63S</b>	<b>63</b>
	4	63.0	<b>63</b>	<b>63</b>	<b>63</b>	<b>63</b>	<b>63</b>	<b>63</b>
300	2	53.5	<b>63S</b>	<b>N/A</b>	<b>63S</b>	<b>N/A</b>	<b>63S</b>	<b>63</b>
	3	60.2	<b>63</b>	<b>63</b>	<b>63</b>	<b>63</b>	<b>63</b>	<b>63</b>
	4	68.8	<b>75S</b>	<b>75S</b>	<b>75S</b>	<b>N/A</b>	<b>75S</b>	<b>75</b>
400	2	59.0	<b>63S</b>	<b>63</b>	<b>63S</b>	<b>N/A</b>	<b>63</b>	<b>63</b>
	3	66.6	<b>75S</b>	<b>75S</b>	<b>75S</b>	<b>N/A</b>	<b>75S</b>	<b>75</b>
	4	78.1	<b>90</b>	<b>N/A</b>	<b>90</b>	<b>N/A</b>	<b>75</b>	<b>75</b>

## Brass Cable Glands India

Click Here to Visit Our Website : [www.cable-glands-brass.com](http://www.cable-glands-brass.com)

Plot 10 - B GIDC Industrial Estate,  
Jamnagr, Gujarat 361005 India.

Tel No : +91-22- 43449300, +91-22- 43449323

**Fax No : +91- 22-22834046, +91-22- 40023682**