

Products

- :: Brass BW 2 Parts Cable Glands
- :: Brass BW3 Parts Cable Glands
- :: Brass CW Cable Glands
- :: Brass CX Type Cable Glands
- :: Brass A2 Type Cable Glands
- :: Brass E1W Cable Glands
- :: Brass CXT Cable Glands
- :: Brass Marine Cable Glands
- :: Brass Metric Strain Relief Cable Glands
- :: Brass Wiping Cable Glands
- :: Brass PG Cable Glands
- :: Brass Cable Glands Accessories

Brass Flexible Conduit Fittings Cable Glands Brass Fixed Connectors Brass Swivel Connectors



METAL CONDUIT GLANDS Brass flexible conduit glands Brass Fixed Connectors Brass Swivel connectors Male and Female threaded fittings

These Conduit Glands are very easy and quick to install. In combination with galvanized steel or PVC coated galvanized steel conduits they offer IP54 class protection. Manufactured from nickel plated brass they offer excellent resistance to environmental factors.

Technical Details

Material

Nickel Plated Brass

Protection Class

IP 54

Products

- :: Brass Flexible Conduit fittings Cable Glands
- :: Brass Lock Nuts
- :: Brass Stop Plugs Blind Plugs
- :: Brass Thread Reducers Enlargers Converters
- :: Copper Cable Lugs and Terminals
- :: Conduit Fittings Accessories
- :: Rubber Grommets For Conduit Boxes
- :: Brass Cable Gland Selection Chart
- :: Brass Neutral Links Neutral Bars
- :: Brass Terminal Blocks
- :: Brass Terminals Terminal Bars

Threads available	Pg & Metric
--------------------------	-------------

Pg Thread for Galvanised Steel Flexible Conduit - Bare Metal				
Size	Cat. No.	TD mm	TL mm	Suitable for Conduit ID x OD
Pg 7	MSBG-P07	13	5	8.0 x 10.0
Pg 9	MSBG-P09	16	5	11.0 x 14.0
Pg 11	MSBG-P11	19	6	14.0 x 17.0
Pg 13.5	MSBG-P13	21	6	16.0 x 19.0
Pg 16	MSBG-P16	23	6	18.0 x 21.0
Pg 21	MSBG-P21	29	7	23.0 x 27.0
Pg 29	MSBG-P29	37	8	32.0 x 36.0
Pg 36	MSBG-P36	47	8	40.0 x 45.0
Pg 42	MSBG-P42	54	10	45.0 x 52.0
Pg 48	MSBG-P48	59	10	50.0 x 56.0
Metric Thread for Galvanised Steel Flexible Conduit - Bare Metal				
M16 x 1.5	MSBG-M09	16	6	11.0 x 14.0
M16 x 1.5	MSBG-M11	16	6	14.0 x 17.0
M20 x 1.5	MSBG-M13	20	6	16.0 x 19.0
M20 x 1.5	MSBG-M16	20	6	18.0 x 21.0
M25 x 1.5	MSBG-M21	25	7	23.0 x 27.0
M32 x 1.5	MSBG-M29	32	8	32.0 x 36.0
M40 x 1.5	MSBG-M36	40	8	40.0 x 45.0
M50 x 1.5	MSBG-M42	50	9	45.0 x 52.0
M63 x 1.5	MSBG-M48	63	10	50.0 x 56.0
Pg Thread for Galvanised Steel Flexible Conduit - PVC Sheathed				
Pg 7	MSPG-P07	13	5	7.0 x 10.0
Pg 9	MSPG-P09	16	5	10.0 x 14.0
Pg 11	MSPG-P11	19	6	13.0 x 17.0
Pg 13.5	MSPG-P13	21	6	15.0 x 19.0
Pg 16	MSPG-P16	23	6	17.0 x 21.0
Pg 21	MSPG-P21	29	7	21.0 x 27.0
Pg 29	MSPG-P29	37	8	28.0 x 36.0
Pg 36	MSPG-P36	47	8	37.0 x 45.0
Pg 42	MSPG-P42	54	10	44.0 x 52.0
Pg 48	MSPG-P48	59	10	48.0 x 56.0

Metric Thread for Galvanised Steel Flexible Conduit - PVC Sheathed				
M16 x 1.5	MSPG-M09	16	6	0.0 x 14.0
M16 x 1.5	MSPG-M11/16	16	6	13.0 x 17.0
M20 x 1.5	MSPG-M11/20	20	6	13.0 x 17.0
M20 x 1.5	MSPG-M13	20	6	15.0 x 19.0
M20 x 1.5	MSPG-M16	20	6	17.0 x 21.0
M25 x 1.5	MSPG-M21	25	7	21.0 x 27.0
M32 x 1.5	MSPG-M29	32	8	28.0 x 36.0
M40 x 1.5	MSPG-M36	40	8	37.0 x 45.0
M50 x 1.5	MSPG-M42	50	9	44.0 x 52.0
M63 x 1.5	MSPG-M48	63	10	48.0 x 56.0

Brass Cable Glands India

Click Here to Visit Our Website : www.cable-glands-brass.com

**Plot 10 - B GIDC Industrial Estate,
Jamnagr, Gujarat 361005 India.**

Tel No : +91-22- 43449300, +91-22- 43449323

Fax No : +91- 22-22834046, +91-22- 40023682