

Products

- :: Brass BW 2 Parts Cable Glands
- :: Brass BW3 Parts Cable Glands
- :: Brass CW Cable Glands
- :: Brass CX Type Cable Glands
- :: Brass A2 Type Cable Glands
- :: Brass E1W Cable Glands
- :: Brass CXT Cable Glands
- :: Brass Marine Cable Glands
- :: Brass Metric Strain Relief Cable Glands
- :: Brass Wiping Cable Glands
- :: Brass PG Cable Glands
- :: Brass Cable Glands Accessories

Brass Metric Strain Relief Cable Glands Brass Metric Cable Glands



BRASS CABLE GLANDS BRASS METRIC CABLE GLANDS

These metallic glands are liquid tight, offer excellent strain relief and have lameller designed plastic inserts for protection against distortion. These glands are suitable for use in machinery and equipment, measuring and controlling devices, medical equipments and many other fields where exceptional stability and safe functioning is required. Cable glands with long thread length or reduced clamping range are also available on request.

Technical Details

Material	Brass, Nickel Plated
Clamping Insert	Polyamide 6
Protection Class	IP 68
Sealing Ring	Neoprene
O Ring	Perbunan (NBR)
Temperature Range	-40° C to + 100° C
Threads available	Pg, Metric and NPT
Approvals	VDE, HALLOGEN FREE

Products

- :: Brass Flexible Conduit Fittings Cable Glands
- :: Brass Lock Nuts
- :: Brass Stop Plugs Blind Plugs
- :: Brass Thread Reducers Enlargers Converters
- :: Copper Cable Lugs and Terminals
- :: Conduit Fittings Accessories
- :: Rubber Grommets For Conduit Boxes
- :: Brass Cable Gland Selection Chart
- :: Brass Neutral Links Neutral Bars
- :: Brass Terminal Blocks
- :: Brass Terminals Terminal Bars

Pg Thread						
Size	Cat. No.	Standard Pack (Pieces)	Thread Diameter (mm)	Thread Length (mm)	Spanner (mm)	Clamping Range (mm)
Pg 7	BSBC-01	50	13	6	14	3 - 6.5
Pg 9	BSBC-02	50	16	6	17	4 - 8
Pg 11	BSBC-03	50	19	6	20	5 - 10
Pg 13.5	BSBC-04	50	21	6.5	22	6 - 12
Pg 16	BSBC-05	25	23	6.5	24	10 - 14
Pg 21	BSBC-06	25	29	7	30	13 - 18
Pg 29	BSBC-07	20	37	8	40	18 - 25
Pg 36	BSBC-08	15	47	10	50	22 - 32
Pg 42	BSBC-09	12	54	12	58	30 - 38
Pg 48	BSBC-10	12	59	14	64	34 - 44
Metric Thread						
Size	Cat. No.	Standard Pack (Pieces)	Thread Diameter (mm)	Thread Length (mm)	Spanner (mm)	Clamping Range (mm)
M 12 x 1.5	BMBC-0S	50	12	6	14	3 - 6.5
M 16 x 1.5	BMBC-01	50	16	7	17	4 - 8
M 16 x 1.5	BMBC-E1	50	16	7	20	5 - 10
M 20 x 1.5	BMBC-02	20	20	8	22	6 - 12
M 25 x 1.5	BMBC-03	20	25	8	24	10 - 14
M 25 x 1.5	BMBC-E3	20	25	8	27	11 - 17
M 32 x 1.5	BMBC-04	10	32	9	30	13 - 18
M 32 x 1.5	BMBC-E4	10	32	8	34	15 - 21
M 40 x 1.5	BMBC-05	10	40	9	40	18 - 25
M 40 x 1.5	BMBC-E5	10	40	9	43	19 - 28
M 50 x 1.5	BMBC-06	5	50	9	50	22 - 32
M 63 x 1.5	BMBC-07	5	63	14	64	34 - 44
M 72 x 1.5	BDSM-08	5	72	16	72	56 - 62
M 75 x 1.5	BDSM-09	5	75	18	77	56 - 65
M 80 x 1.5	BDSM-10	5	80	20	90	62 - 66
M 85 x 1.5	BDSM-11	5	85	22	92/95	67 - 77
NPT Thread						
Size	Cat. No.	Standard Pack (Pieces)	Thread Diameter (mm)	Thread Length (mm)	Spanner (mm)	Clamping Range (mm)
NPT 3/8"	BNBC-01	50	16	15	17	4 - 8
NPT 1/2"	BNBC-02	50	21	13	22	6 - 12
NPT 3/4"	BNBC-03	20	29	13	30	13 - 18
NPT 1"	BNBC-04	20	33.2	13	43	18 - 25

Brass Cable Glands India

Click Here to Visit Our Website : www.cable-glands-brass.com

**Plot 10 - B GIDC Industrial Estate,
Jamnagr, Gujarat 361005 India.**

Tel No : +91-22- 43449300, +91-22- 43449323

Fax No : +91- 22-22834046, +91-22- 40023682