


**Products**

- :: Brass BW 2 Parts Cable Glands
- :: Brass BW3 Parts Cable Glands
- :: Brass CW Cable Glands
- :: Brass CX Type Cable Glands
- :: Brass A2 Type Cable Glands
- :: Brass E1W Cable Glands
- :: Brass CXT Cable Glands
- :: Brass Marine Cable Glands
- :: Brass Metric Strain Relief Cable Glands
- :: Brass Wiping Cable Glands
- :: Brass PG Cable Glands
- :: Brass Cable Glands Accessories

**Brass Wipping Cable Glands**




**Wiping Gland "X" and "Y"**

Gland Size	Dai. over metal sheath of Cable	Dimension in mm									
		A	B	ØC	ØD	E	F	G	H	ØJ	R
X	12 to 51	137	90	60	19	90	90	66	66	12	12
Y	25 to 78	155	95	108	32	114	123	95	86	14	14

<b>Material</b>	Brass BS 2874
<b>Size</b>	X and Y
<b>Application</b>	For Use with SWA, Plastic and Rubber (Elastomer) sheathed cables. Used in dry indoor conditions.
<b>Accessories</b>	Hot Dip Galvanised Mild Steel Clamp, Neoprene Gasket

**Products**

- :: Brass Flexible Conduit Fittings Cable Glands
- :: Brass Lock Nuts
- :: Brass Stop Plugs Blind Plugs
- :: Brass Thread Reducers Enlargers Converters
- :: Copper Cable Lugs and Terminals
- :: Conduit Fittings Accessories
- :: Rubber Grommets For Conduit Boxes
- :: Brass Cable Gland Selection Chart
- :: Brass Neutral Links Neutral Bars
- :: Brass Terminal Blocks
- :: Brass Terminals Terminal Bars



Gland Size	Dai. over metal sheath of Cable	Dimension in mm						
		A	B	ØC	ØD	E	F	ØJ
Z	25 to 94	195	140	108	32	190	100	14

<b>Material</b>	Brass BS 2874
<b>Size</b>	Z
<b>Application</b>	For Use with SWA, Plastic and Rubber (Elastomer) sheathed cables. Used in dry indoor conditions.
<b>Accessories</b>	Hot Dip Galvanised Mild Steel Clamp, Neoprene Gasket

We Manufacture and Export High Quality Alco Cable Glands exactly as per Customer Specifications, Drawing & Requirement.

# **Brass Cable Glands India**

**Click Here to Visit Our Website : [www.cable-glands-brass.com](http://www.cable-glands-brass.com)**

**Plot 10 - B GIDC Industrial Estate,  
Jamnagr, Gujarat 361005 India.**

**Tel No : +91-22- 43449300, +91-22- 43449323**

**Fax No : +91- 22-22834046, +91-22- 40023682**