



Products

- :: Brass BW 2 Parts Cable Glands
- :: Brass BW3 Parts Cable Glands
- :: Brass CW Cable Glands
- :: Brass CX Type Cable Glands
- :: Brass A2 Type Cable Glands
- :: Brass E1W Cable Glands
- :: Brass CXT Cable Glands
- :: Brass Marine Cable Glands
- :: Brass Metric Strain Relief Cable Glands
- :: Brass Wiping Cable Glands
- :: Brass PG Cable Glands
- :: Brass Cable Glands Accessories

Copper Insulated Ferrules



- > MANUFACTURED FROM PURE ELECTROLYTIC COPPER.
- > COPPER LUGS & CABLE TERMINALS FROM 0.5 TO 16 MM2 WITH DIFFERENT STUD HOLE SIZES AS REQUIRED.
- > LEAD FREE ELECTRO TIN PLATED TO PREVENT ATMOSPHERIC CORROSION.
- > CABLE LUGS ARE FULLY ANNEALED TO GUARANTEE OPTIMUM DUCTILITY.

Products

- :: Brass Flexible Conduit Fittings Cable Glands
- :: Brass Lock Nuts
- :: Brass Stop Plugs Blind Plugs
- :: Brass Thread Reducers Enlargers Converters
- :: Copper Cable Lugs and Terminals
- :: Conduit Fittings Accessories
- :: Rubber Grommets For Conduit Boxes
- :: Brass Cable Gland Selection Chart
- :: Brass Neutral Links Neutral Bars
- :: Brass Terminal Blocks
- :: Brass Terminals Terminal Bars

COPPER INSULATED FERRULES

CAT.NO	AREA MM2	COLOUR	DIMENSIONS (MM2)					
			J2	A	C	D	M	J1
ZSFI-508 L6	0.5	WHITE	6	1.1	1.5	2.6	0.5	12
ZSFI-508 L8	0.5	WHITE	8	1.1	1.5	2.6	0.5	14
ZSFI-508 L10	0.5	WHITE	10	1.1	1.5	2.6	0.5	16

Copper Insulated Ferrules

ZSFI Ferrule	Wt	Color	Length	OD	ID	Length	Wt	Length
ZSFI-509 L6	0.75	BLUE	6	1.5	1.9	2.8	0.5	12
ZSFI-509 L8	0.75	BLUE	8	1.5	1.9	2.8	0.5	14
ZSFI-509 L10	0.75	BLUE	10	1.5	1.9	2.8	0.5	16
ZSFI-509 L12	0.75	BLUE	12	1.5	1.9	2.8	0.5	18
ZSFI-510 L6	1.0	RED	6	1.7	2.1	3.3	0.5	12
ZSFI-510 L8	1.0	RED	8	1.7	2.1	3.3	0.5	14
ZSFI-511 L10	1.0	RED	10	1.7	2.1	3.3	0.5	16
ZSFI-511 L12	1.0	RED	12	1.7	2.1	3.3	0.5	18
ZSFI-512 L8	1.5	BLACK	8	1.9	2.3	3.5	0.5	14
ZSFI-513 L10	1.5	BLACK	10	1.9	2.3	3.5	0.5	16
ZSFI-513 L12	1.5	BLACK	12	1.9	2.3	3.5	0.5	18
ZSFI-513 L18	1.5	BLACK	18	1.9	2.3	3.5	0.5	24
ZSFI-514 L8	2.5	GRAY	8	2.4	2.8	4.2	0.5	14
ZSFI-514 L10	2.5	GREY	10	2.4	2.8	4.2	0.5	16
ZSFI-515 L12	2.5	GRAY	12	2.4	2.8	4.2	0.5	18
ZSFI-515 L15	5	GREY	15	2.4	2.8	4.2	0.5	21
ZSFI-515 L18	2.5	GRAY	18	2.4	2.8	4.2	0.5	24
ZSFI-516 L8	4	ORANGE	8	2.9	3.3	4.8	0.5	14
ZSFI-516 L10	4	ORANGE	10	2.9	3.3	4.8	0.5	16
ZSFI-517 L12	4	ORANGE	12	2.9	3.3	4.8	0.5	18
ZSFI-517 L18	4	ORANGE	18	2.9	3.3	4.8	0.5	24
ZSFI-518 L10	6	GREEN	10	3.8	4.2	6.3	0.5	18
ZSFI-519 L12	6	GREEN	12	3.8	4.2	6.3	0.5	20
ZSFI-520 L15	6	GREEN	15	3.8	4.2	6.3	0.5	23

Copper Insulated Ferrules

ZSFI-520 L18	6	GREEN	18	3.8	4.2	6.3	0.5	26
ZSFI-521 L12	10	BROWN	12	4.7	5.1	7.6	0.7	22
ZSFI-522 L15	10	BROWN	15	4.7	5.1	7.6	0.7	25
ZSFI-523 L18	10	BROWN	18	4.7	5.1	7.6	0.7	28
ZSFI-524 L12	16	WHITE	12	6.0	6.4	8.8	0.7	24
ZSFI-525 L15	16	WHITE	15	6.0	6.4	8.8	0.7	27
ZSFI-526 L18	16	WHITE	18	6.0	6.4	8.8	0.7	30

Brass Cable Glands India

Click Here to Visit Our Website : www.cable-glands-brass.com

Plot 10 - B GIDC Industrial Estate,
Jamnagr, Gujarat 361005 India.

Tel No : +91-22- 43449300, +91-22- 43449323

Fax No : +91- 22-22834046, +91-22- 40023682